
The Atollon Guide Seasonal Vegetables

	S. Samuel	and the second										
	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Beetroot	0	0							0	0	0	0
Broad Beans			0	0	0	0	0	0	0			
Brocolli				0	0	0	0	0				
Capsicum									0	0	0	0
Carrots	0	0	0	0					0	0	0	0
Celery		0	0	0			0	0	0			
Chillies							W TO S		0	0	0	
Cucumbers	0								0	0	0	0
Eggplants		i de sial							0	0	0	0
Leeks	0	0								0	0	0
Lettuce	0	0	0					0	0	0	0	0
Peas					0	0	0	0	0			3 40 3
Radish	0	0	0	0	0	0	0	0	0	0	0	0
Silverbeet	0	0	0						0	0	0	0
Spinach				0	0	0	0	0	0			
Sweet Corn	0									0	0	0
Tomatoes	0	0	0						0	0	0	0
Onions			0	0			0	0	0	0		
Corriander				0	0	0	0	0				
Basil									0			
Chives	0	0	0	0	0			2000	0	0	0	0
Spring Onions								0	0	0		
Beans	0	0							0	0	0	0
Parsley	0	0	0	0	0				0	0	0	0
Rocket			0	0	0			0	0	0	0	
Shallots		0	0	0	0	0	0	0	0			
Snow Peas				0	0	0	0	0	0	1:A00	U-01.A	NTING



Once your plants begin to sprout, it is a good idea to add about 3 to 4 inches of mulch around the seedlings.



You will know your corn is ready to harvest when two to three weeks has passed after flowering.



Beetroot are very hungry plants, they should be fed at least once a fortnight with vegetable or herb liquid plant food.

atollon.com.au/article/gardening

NOTE: This is a guide for a temperate climate and suitable for Victorian gardening.